This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Application No.: 10/054,096 Docket No.: SCEI 3.0-110

IN THE CLAIMS

1. (currently amended) A wireless <u>game</u> controller for remote-controlling a <u>predetermined electronic device game</u> <u>machine</u> through wireless communication, the <u>game</u> controller comprising:

a body;

a plurality of internal components each utilizing electric power at a rate of power consumption to operate, the plurality of components being classified into at least a first group of components whose members each have a relatively high rate of power consumption and a second group of components whose members each have a relatively low rate of power consumption; and

the first group of components including a vibration module for vibrating the body of the game controller; and

at least two power supplies, one of the power supplies supplying electric power to only the first group of components, and another of the power supplies supplying electric power to the second group of components.

- 2. (currently amended) The <u>game</u> controller according to claim 1, wherein the one power supply supplying electric power to only the first group of components is an exchangeable battery.
- 3. (currently amended) The <u>game</u> controller according to claim 1, wherein the another power supply supplying electric power to the second group of components is an incorporated secondary battery.
- 4. (currently amended) The <u>game</u> controller according to claim 3, further comprising:
 - a charge terminal for charging the secondary battery.
- 5. (currently amended) A wireless <u>game</u> controller for remote-controlling a <u>predetermined electronic devicegame machine</u> through wireless communication, the <u>game</u> controller comprising:

a body;

a plurality of internal components each utilizing electric power to operate, the plurality of components being classified

Docket No.: SCEI 3.0-110

Application No.: 10/054,096

into at least a first group of components whose members each have a relatively low degree of functional importance and a second group of components whose members each have a relatively high degree of functional importance; and

the first group of components including a vibration module for vibrating the body of the game controller; and

at least two power supplies, one of the power supplies supplying electric power to only the first group of components, and another of the power supplies supplying electric power to the second group of components.

- 6. (currently amended) The <u>game_control_ler according to</u> claim 5, wherein the one power supply supplying electric power to only the first group of components is an exchangeable battery.
- 7. (currently amended) The <u>game</u> controller according to claim 5, wherein the another power supply supplying electric power to the second group of components is an incorporated secondary battery.
- 8. (currently amended) The <u>game</u> controller according to claim 7, further comprising:
- a charge terminal for charging the secondary battery.
- 9. (currently amended) A wireless <u>game</u> controller for remote-controlling a <u>predetermined electronic device game</u> <u>machine</u> through wireless communication, the <u>game</u> controller comprising:

a body;

a plurality of internal components each utilizing electric power at a rate of power consumption to operate, the plurality of components being classified into at least a first group of components whose members each have a relatively high rate of power consumption and a relatively low degree of functional importance, and a second group of components whose members each have a relatively low rate of power consumption and a relatively high degree of functional importance; and

Application No.: 10/054,096 Docket No.: SCEI 3.0-110

the first group of components including a vibration module for vibrating the body of the game controller; and

at least two power supplies, one of the power supplies supplying electric power to only the first group of components, and another of the power supplies supplying electric power to the second group of components.

- 10. (currently amended) The <u>game</u> controller according to claim 9, wherein the one power supply supplying electric power to only the first group of components is an exchangeable battery.
- 11. (currently amended) The <u>game</u> controller according to claim 9, wherein the another power supply supplying electric power to the second group of components is an incorporated secondary battery.
- 12. (currently amended) The <u>game</u> controller according to claim 11, further comprising:

a charge terminal for charging the secondary battery.

- 13. (canceled)
- 14. (canceled)
- 15. (canceled)